IN THE CLAIMS:

Please cancel Claim 12 without prejudice or disclaimer of subject matter and amend Claims 1, 11, 13, 14, 25 and 28 to 32 as shown below. The claims, as pending in the subject application, now read as follows:

1. (Currently amended) An image editing method comprising the steps of:
instructing movement of to move an arbitrary point of an image displayed in an
image display area, in accordance with the arbitrary point of the image being dragged with a
pointing device which is arranged to encircle the arbitrary point of the image displayed in the
image display area and move the encircled arbitrary point of the among image[[data]];

calculating an image movement amount and a magnification ratio in response to the instruction of the movement of to move the arbitrary point; and

displaying a predetermined area of the image data in the image display area on the basis of image movement amount and the magnification ratio, which are calculated in the calculating step.

- 2. (Original) An image editing method according to claim 1, wherein the image display area is an image print area indicating an image area to be printed.
 - 3. (Original) An image editing method according to claim 2, further comprising: a step of instructing to print the image displayed in the image display area.

- 4. (Original) An image editing method according to claim 1, wherein when it is instructed to move the arbitrary point so that an end of the image data in a direction opposite to a moving direction is exceeded, the image is magnified based on an exceeding amount and the magnified image is displayed.
- 5. (Original) An image editing method according to claim 1, wherein the predetermined area of the image data is displayed in the displaying step so that the arbitrary point, whose movement is instructed in the instructing step, is moved to a post-movement point regardless of the magnification ratio.
- 6. (Original) An image editing method according to claim 1, wherein the calculating step calculates the image movement amount and the magnification ratio so that the arbitrary point, whose movement is instructed in the instructing step, is moved to the post-movement point without generating any margin in the image display area.
- 7. (Original) An image editing method according to claim 1, wherein while it is instructed in the instructing step to move the arbitrary point, the displaying step displays the predetermined area of the image data in the image display area based on the image movement amount and the magnification ratio, which are calculated in the calculating step.
- 8. (Original) An image editing method according to claim 1, wherein while it is instructed in the instructing step to move the arbitrary point, the displaying step displays the predetermined area of the image data in the image display area based

on the image movement amount, which is calculated in the calculation step, without changing image size, and

when it is ended that the instructing step instructs the movement of the arbitrary point, the displaying step displays the predetermined area of the image data in the image display area based on the image movement amount and the magnification ratio, which are calculated in the calculating step.

- 9. (Original) An image editing method according to claim 1, wherein the calculating step calculates the magnification ratio based on a post-movement point designated during the instruction in the instructing step.
- 10. (Original) An image editing method according to claim 1, wherein the calculating step calculates the magnification ratio based on a post-movement point designated at a start of the instruction in the instructing step.
- 11. (Currently amended) An image editing apparatus comprising:

 means for instructing movement of to move an arbitrary point of an image
 displayed in an image display area, in accordance with the arbitrary point of the image being
 dragged with a pointing device which is arranged to encircle the arbitrary point of the image
 displayed in the image display area and move the encircled arbitrary point of the among
 image[[data]];

means for calculating an image movement amount and a magnification ratio in response to the instruction of the movement of to move the arbitrary point; and

means for displaying a predetermined area of the image data in the image display area on the basis of the image movement amount and the magnification ratio, which are calculated by the calculating means.

12. (Canceled)

13. (Currently amended) A computer-readable recording medium on which a program for causing a computer to execute an image editing method is recorded, the method comprising:

instructing movement of to move an arbitrary point of an image displayed in an image display area, in accordance with the arbitrary point of the image being dragged with a pointing device which is arranged to encircle the arbitrary point of the image displayed in the image display area and move the encircled arbitrary point of the among image[[data]];

calculating an image movement amount and a magnification ratio in response to the instruction of the movement of to move the arbitrary point; and

displaying a predetermined area of the image data in the image display area on the basis of the image movement amount and the magnification ratio, which are calculated in the calculating step.

14. (Currently amended) An image editing method comprising the steps of:

performing a trimming process on image data in a trimming mode; and

displaying a grid on an image to be subjected to the trimming process, in response

to during a dragging of the image being dragged by a pointing device which is arranged to

encircle an arbitrary point of the image and move the encircled arbitrary point of the image, to perform the trimming process.

15. (Original) An image editing method according to claim 14, wherein the trimming step performs the trimming process in accordance with a trimming operation, and

while it is detected that the trimming operation is performed, the grid displaying step displays the grid on the image.

- 16. (Original) An image editing method according to claim 14, wherein grid displaying step displays the grid which suggests appropriate framing of a main object in the image.
- 17. (Original) An image editing method according to claim 16, wherein the grid displaying step displays the grid which divides the image based on a golden section.
- 18. (Original) An image editing method according to claim 17, wherein the grid displaying step displays the grid which vertically and horizontally divides the image into equal parts.
- 19. (Original) An image editing method according to claim 18, wherein the grid displaying step displays the grid which vertically and horizontally divides the image into at least one of three, four, and five equal parts.

- 20. (Original) An image editing method according to claim 17, wherein the grid displaying step displays the grid which is obtained by drawing a diagonal line in a rectangular image and drawing perpendicular lines from remaining vertexes of the image to the diagonal line.
- 21. (Original) An image editing method according to claim 14, wherein the grid displaying step is arranged to switch between displaying and non-displaying of the grid.
- 22. (Original) An image editing method according to claim 14, wherein the trimming step performs the trimming process by changing at least one of a size and a position of the image.
- 23. (Original) An image editing method according to claim 14, wherein the trimming step is arranged to change at least one of a size and a position of a trimming frame which is displayed on the image to indicate a trimming image area in accordance with a trimming instruction, and display the trimming frame changed in at least one of the size and the position, and

the grid displaying step displays the grid in the trimming frame changed in at least one of the size and the position.

24. (Original) An image editing method according to claim 14, wherein the grid displaying step displays fixedly a trimming image area and the grid in the trimming image area, and

the trimming step is arranged to change an image in the trimming image area in at least one of a size and a position in accordance with a trimming instruction and display the image changed in at least one of the size and the position.

25. (Currently amended) An image editing method according to claim 14, wherein the trimming process to be performed with during the dragging of the image by the pointing device includes:

a step of instructing <u>movement of to move</u> an arbitrary point of an image displayed in an image display area, in accordance with the arbitrary point of the among image being dragged with the pointing device data;

a step of calculating an image movement amount of the arbitrary point of the image and a magnification ratio of the image in response to the instruction of the movement of to move the arbitrary point; and

a step of displaying a predetermined area of the image data in a trimming image display area on the basis of the image movement amount and the magnification ratio, which are calculated in the calculating step.

- 26. (Original) An image editing method according to claim 25, wherein the grid displaying step displays a grid that is closest to a point instructed in the instructing step, out of a plurality of grid candidates, in a form that is different from that of other grids.
- 27. (Original) An image editing method according to claim 14, further comprising:

a step of instructing to print the image on which the trimming process is performed.

- 28. (Currently amended) An image editing method comprising the steps of:

 performing a trimming process on image data in a trimming mode; and
 displaying, on an image to be subjected to the trimming process, a mark
 suggesting appropriate framing of a main object in the image, in response to the image being
 dragged by a pointing device which is arranged to encircle an arbitrary point of the image and
 move the encircled arbitrary point of the image, to perform[[when]] the trimming process mode
 is set.
- 29. (Currently amended) An image editing apparatus comprising:

 means for performing a trimming process on image data in a trimming mode; and

 means for displaying a grid on an image to be subjected to the trimming process,

 in response to during a dragging of the image being dragged by a pointing device which is

 arranged to encircle an arbitrary point of the image and move the encircled arbitrary point of the

 image, to perform the trimming process.
- 30. (Currently amended) An image editing apparatus comprising:

 means for performing a trimming process on image data in a trimming mode; and

 means for displaying, on an image to be subjected to the trimming process, a mark

 suggesting suited framing of a main object in the image, in response to the image being dragged

by a pointing device which is arranged to encircle an arbitrary point of the image and move the encircled arbitrary point of the image, to perform[[when]] the trimming process mode is set.

31. (Currently amended) A computer-executable program stored on a computer-readable storage medium comprising a program code causing a computer to execute an image editing method, the method comprising:

a trimming module for performing a trimming process on image data in a trimming mode; and

a processing module for displaying a grid on an image to be subjected to the trimming process, in response to during dragging of the image being dragged by a pointing device which is arranged to encircle an arbitrary point of the image and move the encircled arbitrary point of the image, to perform the trimming process.

32. (Currently amended) A computer-executable program stored on a computer-readable storage medium comprising a program code causing a computer to execute an image editing method, the method comprising:

a trimming module for performing a trimming process on image data in a trimming mode; and

a processing module for displaying, on an image to be subjected to the trimming process, in response to a mark suggesting suited framing of a main object in the image, in response to the image being dragged by a pointing device which is arranged to encircle an arbitrary point of the image and move the encircled arbitrary point of the image, to perform[[when]] the trimming process mode is set.